



SoftMax® Pro 7.3 GxP - ERES Assessment

The update to SoftMax® Pro 7.3 GxP had no impact to the assessed items in the ERES-Assessment Checklist for SoftMax® Pro 7.1.0 GxP.

This certificate retrospectively includes SoftMax® Pro 7.3 GxP Data Acquisition and Analysis Software as suitable compliance software.

Molecular Devices is an ISO registered company certified to ISO 9001:2015 under registrar BSI certificate number FS 534246.

We provide SoftMax® Pro GxP Software that extends Molecular Devices' leading data acquisition and analysis solution into regulated laboratories working under GMP, GLP, 21 CFR Part 11, EU Annex 11 and other similar guidelines for secure electronic records.

SoftMax® Pro GxP Software provides the functionality that enables compliance. SoftMax® Pro GxP Software is only a tool which assists customers in becoming 21 CFR Part 11 and EU Annex 11 compliant. It is the responsibility of the customer to comply with 21 CFR part 11 and Annex 11.

T. Boles

Tim Bolus, MPM, MBA Compliance Program Manager

meen addrin

Shreen Ibrahim Director, Global Quality

 1311 Orleans Drive
 toil-free
 1.800.635.5577

 Sunnyvale, CA 94089
 phone
 408.747.1700

 fax
 408.747.3601

moleculardevices.com

CJ1em91neer1ng

Software: SoftMax Pro GxP Version: 7.1

Lagerhausstr. 45 | 5071 Wals | Austria

www.MolecularDevices.com

Assessment Date:	11-Apr-2019						
Auditor:	Sieghard Wagner, mech. Engi	neer (grad.), Chemgineering Business Design GmbH					
Assessment objective:		Compliance check against the Electronic Records and Electronic Signatures (ERES) requirements of FDA 21 CFR Part 11 and Eudralex, Volume 4, Annex 11 for SoftMax Pro GxP 7.1					
Object description:	Software to process preconfigured protocols and custom assay workflows for microplate data acquisition and analysis.						
Approach:	The functions and properties of the above software system are audited against the ERES requirements of 21 CFR Part 11 and EU GMP Annex(11 with its current interpretations. The assessment is guided by a requirements checklist, which is based on the respective 21 CFR Part 11 and Annex 11 paragraphs.						
Assessment results:							
	∎ Summary						
	The software is compliant wi	th the following ERES requirements:					
	21 CFR Part 11:	11.10 (b), (d), (f), (a), (h); 11.50, 11.70; 11.300 (a)					
	EU GMP Annex 11:	Paragraphs: 4.8, 6, 8, 9, 12, 14b, 14c					
	The software is compliant wi	th the following ERES requirements with support of the operator:					
	21 CFR Part 11:	11.10 (a), (c), (e), (i), U), (k); 11.100 (a), (b);					
		<u>11.200 (a); 11.300 (b), (c), (d)</u>					
	EU GMP Annex 11:	Paragraphs: Principles, 1 to 4.7, 7, 9, 10, 14a, 17					
	The software supports electr	onic signature.					

ERES Certificate

Siefand Ub Sieghard Wagner

Confidential - Company Proprietary

4044100-02/V1



SYSTEM ASSESSMENT REPORT

"Electronic Records, Electronic Signatures" regarding 21 CFR Part 11¹/ EU GMP Annex 11²

System: SoftMax Pro GxP³ Version: 7.1

interviewer/ Author	Peter Berger, Sieghard Wagner
Date of Interview	l 11-Apr-2019

¹ see CFR - Code of Federal Regulations Title 21, https://www.fda.gov

² see Eudralex - Volume 4 - Good Manufacturing Practice (GMP) guidelines, https://ec.europa.eu/health/documents/eudralex/vol-4_en

³ The label ,,SoftMax Pro GxP" comprises of the four software components "GxP Admin", "SOL-Database", SoftMax Pro" and "GxP Admin Portal"

ERES-Assessment: SOFTMAX PRO GxP 7.1



Content

0	GEN	IERAL SYSTEM INFORMATION	. 3
	0.1	GxP - PROCESSES	3
	0.2	ELECTRONIC RECORDS (SECTION 1) CLOSED SYSTEM/ OPEN SYSTEM (SECTION 2) HYBRID SYSTEM (SECTION 3) ELECTRONIC SIGNATURES (SECTION. 3 TO 7)	. 3
	0.3	CLOSED SYSTEM/ OPEN SYSTEM (SECTION 2)	. 3
	0.4	HYBRID SYSTEM (SECTION 3)	. 4
	0.5	ELECTRONIC SIGNATURES (SECTION. 3 TO 7)	. 4
1	PRO	CEDURES AND CONTROLS FOR CLOSED SYSTEMS	. 5
2	ADD	DITIONAL PROCEDURES AND CONTROLS FOR OPEN SYSTEMS	12
3	SIG	NED ELECTRONIC RECORDS	13
4	ELE	CTRONIC SIGNATURES (GENERAL)	13
5	ELE	CTRONIC SIGNATURES (NON-BIOMETRIC)	14
6	ELE	CTRONIC SIGNATURES (BIOMETRIC)	16
7	CON	ITROLS FOR IDENTIFICATION CODES AND PASSWORDS	16

ERES-Assessment: SOFTMAX PRO GxP 7.1



0 General System Information

0.1 GxP - Processes

Does the system support GxP-relevant processes? Justification / Processes names:

Yes⁴ /□No

The answer to this question depends on the application of SoftMax Pro GxP, and has to be given by the respective process owner of the customer. The process owner has the knowledge about the business process, its GxP relevance and the GxP impact of SoftMax Pro GxP on this process.

0.2 Electronic Records (Section 1)

Is the system used to manage (create, manipulate, administer, re-store, transmit or archive) electronic records?

Describe the nature/ type/ purpose of the electronic records?

0.3 Closed System / Open System (Section 2)

Is the computerised system a closed or open system?

Yes⁴/□No

The answer to this question depends on the application of SoftMax Pro GxP, and has to be given by the respective process owner of the customer. That person has the knowledge about the types of electronic records the software has to manage.

SoftMax Pro GxP basically manipulates 2 types of data. The "Protocol" and the "Data Document". Whereas the "Protocol" defines the method for data capture and analysis, the "Data Document" comprises samples, raw data and results of calculations.

Closed system

 \Box Open system (Section 2)

SoftMax Pro GxP infrastructure components are connected using WAN/LAN and the data flow only stays within this boundaries. Data transfer via the Internet is not intended.

⁴ For the purpose of this ERES assessment, it is assumed that SoflMax Pro GxP supports GxP processes, including processing of electronic records.

DocID:4044100-01,V1





0.4 Hybrid System (Section 3)

Is a printout of the e-record signed on paper and used instead of the electronic original?

Yes/⊟No

SoftMax Pro GxP offers the functionality for operation as a hybrid system, but the actual answer depends on the application of SoftMax Pro GxP, and has to be given by the respective process owner.

0.5 Electronic Signatures (Section. 3 to 7)

Are electronic signatures used and serve as equivalent to paper based signatures?

What type of documents are signed electronically?

Yes/ No

It is possible to sign "Protocols" and "Data Documents" electronically by means of SoftMax Pro GxP.



1 Procedures and Controls for Closed Systems

1°101	Ref. ⁵	Торіс	Question ⁶	Yes-	No	Comments
1	<u>11.10(a)</u> <u>A11: Princi-</u>	Validation, IQ, OQ	Is the system validated?	0		The process owner/operator is solely responsible for the vali- dation of the system.
	Q.Jg <u>A11:1</u> <u>A11:2</u> <u>A11:3</u>					The responsibility of the supplier lies in supplying systems, which are capable of being validated. This is supported by the internal quality management system, of Molecular Devices, which can be audited on request.
	<u>A11:4</u>					Molecular Devices runs a certified quality management sys- tem based on the requirements of ISO 9001:2015.
						Molecular Devices also offers a range of validation services: Conformity certificates, prepared documentation for IQ and OQ as well as performing IQ and OQ at the operator's prem- ises.
2	<u>11.10(a)</u> A11:8.2	Audit Trail, Change	Is it possible to discern invalid or altered records?	X		During processing a status of "Cancelled" is applied to rec- ords to mark them as obsolete.
	<u>A11:9</u>					SoftMax Pro GxP has implemented diverse plausibility checks, and so invalid data are recognized and capturing of such is prohibited automatically.
						Changes to records are documented within the audit trail.
						In case of any data import a checksum is used to detect in- consistencies. Such records will not be imported and in addi- tion the user is informed via a report.

⁵ Reference to the 21 CFR Part 11 ('11.nn') and/or EU GMP Guidelines Annex 11 ('A11:...') paragraphs;

The following Annex 11 paragraphs are not referenced since they apply definitely to the operator only: A11:11 "Periodic Evaluation", A11:13 "Incident Management", A11:15 "Batch Release" and A11:16 "Business Continuity"

⁶ see: Good Practice and Compliance for Electronic Records and Signatures Part 2, Complying with 21 CFR Part 11, Electronic Records and Electronic Signatures; A document produced jointly by ISPE and PDA

ERES-Assessment: SOFTMAX PRO GxP 7.1



11 01	Ref.⁵	Торіс	Question ⁶	Yes-	No	Comments
3	<u>11.10 (b)</u> <u>A11:8</u>	Report, Printout, Electronic Record	Is the system capable of produc- ing accurate and complete copies of electronic records on paper?	Х		The system allows to print electronic records ("Protocol" and "Data Document" information) on paper formatted as report. Users are able to configure these reports, in case they have required permissions (role concept). The content for these re- ports is configurable (via checkboxes).
4	<u>11.10 (b)</u>	Report, Electronic Record, FDA	Is the system capable of produc- ing accurate and complete copies of records in electronic form for inspection, review, and copying by the FDA?	X		The system allows to print electronic records ("Protocol" and "Data Document" information) to PDF ⁷ format or they can be provided as signed XML ⁸ files.
5	<u>11.10(c)</u> <u>A11:7.1</u> <u>A11:7.2</u> <u>A11:17</u>	Electronic Record, Retention Period, Ar- ch,ving	Are the records readily retrieva- ble throughout their retention pe- no ^d ?	X/0		The system owner/operator is solely responsible for record storage/archiving. SoftMax Pro GxP keeps all data which are relevant for opera- tion inside the system and as long as wished. The current version 7.1 provides a function for data import, in- cluding version 4.0 or younger of SoftMax Pro GxP. As ,,Protocol" and ,,Data Document" information are regarded as static, it is possible to archive them in PDF format.

⁷ PDF: Portable Document Format

⁸ XML: Extensible Markup Language



1IOI	Ref.⁵	Торіс	Question ⁶	Yes	No	Comments
6	<u>11.10(d)</u> <u>A11:12</u>	Login, Access Pro- tection, Authorization User, Administrator	Is the system access limited to authorized individuals? Are creations or modifications of roles and access rights rec- orded?	X		SoftMax Pro GxP offers a role-based user permissions con- cept. A user takes a role (assigned by the systems admin) and permissions of that role are passed on to that person. In a next step user are added to projects and assigned a role .The system ensures that a certain user cannot take more than a single role in that particular project. It is possible to manage system users via the active directory to verify their identity. All changes regarding system roles (creation, change, dele- tion) are recorded in the audit trail. All allocations and changes of user access rights (creation, modification or rejection) are recorded in the audit trail.





1IOI	Ref.⁵	Торіс	Question ⁶	Yes-	No	Comments
7			Is there a secure, computer gen- erated, time stamped audit trail that records the date and time of operator entries and actions that create, modify, or delete elec- tronic records? Does the audit trail (mandatorily) collect the reason for a record change or deletion?	X/0		 All changes to "Protocols" or "Data Documents" (creation, change, deletion) are recorded in the systems audit trail. The audit trail includes: A time stamp (UTC⁹ + local time) User ID Event Type (login, change, data acquisition, settings) Data (old value, new value) Document Name Software version Computer/ workstation name. The server's time is used to generate the time stamp of the applications audit trail. The reliability of this time source is crucial and has to be verified by the process owner/operator during the systems validation. For certain changes to records a mandatory comment is enforced (Excluding of analysis data / Setting the "Released" status/ Signing of Statements). Comments going beyond this must be organized by the operator. The audit trail allows the authorized user to add comments. The audit trail is saved to a database und secured with the same methods as the database itself.

⁹ UTC: Temps Universe! Coordonne (French for ,Coordinated Universal Time')



T "IOI	Ref.⁵	Торіс	Question ⁶	<u>Yes</u> -	No	Comments
8	<u>11.10(e)</u>	Electronic Record, Overwriting data, Change	Upon making a change to an electronic record, is previously	Х		Upon changes of records an entry in the audit trail is made. The old and new value are logged.
		enange	recorded information still availa- ble (i.e. not obscured by the change)?			The systems workflow enforces that "Protocols" have to be saved using the "Save As" function. That ensures that new versions are generated and recorded within the audit trail.
9	<u>11.10(e)</u> A11:7.1	Audit Trail, Retention Period	Is the audit trail of an electronic record retrievable throughout the retention period of the respective	X/0		SoftMax Pro GxP keeps all data inside the system as long as wished. All data (including audit trail) are saved to a database and so data consistency is achieved.
			record?			It is up to the process/data owner to ensure correct backup and archival are properly executed and to verify that access is possible throughout the retention period.
10	<u>11.10(e)</u>	Audit Trail, FDA, In- spection	Is the audit trail available for re- view and copying by the FDA?	x		It is possible to print stored data to PDF and make printouts as well as to provide this information as signed XML file; elec- tronically or in paper format.
						The system offers the possibility to set up a role with access to the audit trail only.
11	<u>11.10 (f)</u>	Control over se- quence of steps, Plausibility Check, Devices	If the sequence of system steps or events is important, is this en- forced by the system (e.g., as it would be the case in a process control system)?	X		A workflow can be defined and so enforce a specific se- quence of activities throughout the data capture process. For data capture the system works according predefined methods (as defined in the "Protocol").





1. IOI	Ref.⁵	Торіс	Question ⁶	Yes-	No	Comments
12	<u>11.10(g)</u> <u>A11:12.1</u>	Login, Access Pro- tection, Authoriza- tion, User, Adminis- trator	Does the system ensure that only authorized individuals can use the system, electronically sign	X		SoftMax Pro GxP offers a role-based user permissions con- cept. A user takes a role (assigned by the systems admin) and permissions of that role are passed on to that person.
			records, access the operation, or computer system input or output device, alter a record, or perform other operations?			In a next step roles are assigned to projects and the system ensures that a certain user cannot take more than a single role in that particular project.
						It is possible to use the Active Directory for a central manage- ment of the user's credentials.
						All changes regarding system roles (creation, change, dele- tion) are recorded in the audit trail.
						All allocations and changes of user access rights (creation, modification or rejection) are recorded in the audit trail.
						The system ensures that a user can sign a single record just once.
						A user account can only be deactivated but not be deleted and the system makes sure that user IDs are unique.
13	<u>11.10 (h)</u>	Balance, Connection, Terminals, Input data, Devices	Does the system control validity of the connected devices?	X		SoftMax Pro GxP connects only to known devices which are developed and built by Molecular Devices.
		uala, Devices	If it is a requirement of the system that input data or instructions can only come from certain input devices (e.g., termi-			Within the "Protocol" the required devices are specified and SoftMax Pro GxP recognizes if a wrong appliance is joint.
			nals) does the system check the validity of the source of any data or instructions received? (Note: This applies where data or instructions can come from more than one device, and therefore the system must verify the integrity of its source, such as a network of weigh sea/es, or re- mote, radio controlled terminals).			Data from external capturing devices can only be imported to SoftMax Pro GxP and are marked with the attribute ,,imported".

ERES-Assessment: SOFTMAX PRO GxP 7.1



l'∩7		- ·				
101	Ref.⁵	Торіс	Question ⁶	Yes	No	Comments
14	<u>11.10 (i)</u> A11:2	Training, Support, User, Administrator	Is there documented training, in- eluding on the job training for system users, developers, IT	X/0		All personnel of Molecular Devices are trained according to their roles. This requirement is part of the internal quality management system (OMS) and includes GxP training.
			support staff?			It is up to the process owner's organization to implement ap- propriate training for system users, administrators and IT staff.
15	<u>11.10U</u>) <u>A11:14a</u>	Policy, Responsibil- ity, Electronic Signa- ture, Signature Im- pact	Is there a written policy that makes individuals fully accounta- ble and responsible for actions initiated under their electronic signatures?	0		It is up to the process owner's organization to implement ap- propriate training and awareness about the meaning of elec- tronic signatures.
			Does the electronic signature			
			have the same impact as the handwritten signature?			
16	<u>11.10 (k)</u>	Documentation, Dis- tribution of Documen-	Is the distribution of, access to, and use of systems operation	X/0		SoftMax Pro GxP is delivered including user documentation which can be accessed directly through the system.
		tation, Access to Documentation, Sys-	and maintenance documentation			Context related help information is available as well.
		tern Documentation, Logbook, Manuals	controlled?			It is up to the process owner to control and distribute appropri- ate operating manuals and release notes to personnel.
17	<u>11.10 (k)</u> A11:4.2 <u>(A11:10)</u>	SOP, Documenta- tion, Manuals, Sys- tern Documentation, Audit Trail, Logbook	Is there a formal change control procedure for system documen- tation that maintains a time se-	X/0		User documentation (release notes, user guide, installation guides etc.) is being controlled by Molecular Devices, includ- ing version control information.
			quenced audit trail (= version his- tory) for creation and modifica- tion?			Once delivered the control responsibility is with the customer.
ц ₁₈	<u>A11:6</u>	Manual Data Entry , Electronic Record, Operator Entries	Are there checks to verify critical data entered manually?	<u>к</u>		The system allows assay specific configuration of plausibility checks like ranges, data types and nomenclature.

DocID:4044100-01,V1

ERES-Assessment: SOFTMAX PRO GxP 7.1



t"IOI	Ref.⁵	Торіс	Question ⁶	Yes -	No	Comments
19	A11 :4.8	Data Migration , Electronic Record	Are electronic data to be mi- grated from one system instance to another are checked for con- sistency (e.g. no change of val- ues or meaning)?	X		Data migration and import use a checksum to verify correct data transfer. So inconsistencies are detected and import to a target system is prohibited. All system changes, including those that can lead to change or values, are recorded in the release notes.

2 Additional Procedures and Controls for Open <u>Systems</u>

t"I0I	Ref.⁵	Торіс	Question .	Yes No	Comments
20	<u>11.30</u>	Data, Encryption,	Is the data integrity of the elec-	N/A	SoftMax Pro GxP is installed and configured as a closed sys-
	<u>A11:5</u>	Data Transfer	tronic records protected, when		tem.
			they are process via the internet?		
			Is data encrypted?		
121	111.30	Electronic Signature	Are digital signatures used to au-	N/A	SoftMax Pro GxP is installed and configured as a closed sys-
<u>L jA</u>	<u>.11:5</u>		thenticate the involved parties?		tem.

ERES-Assessment: SOFTMAX PRO GxP 7.1



3 Signed Electronic Records

0/	Ref.⁵	Торіс	Question ·	Yes -	No	Comments
22	<u>11.50</u> <u>A11:14c</u>	Electronic Signature	 Do signed electronic records contain the following related in- formation: The printed name of signer, The date and time of signing, The meaning of the signing (such as approval, review, re- sponsibility)? 	X		 SoftMax Pro GxP electronic signature includes: User ID and name (additionally the full name is captured via user management and the name is included within the audit trail); Date and time; When configuring fields for signatures the meaning of the signature can be added; A mandatory field for comments can be used to document the meaning of the signature.
23	<u>11.50</u>	Electronic Signature	Is the above information shown on displayed and printed copies of the electronic record?	X		Electronic signature information is included in printouts. Within the system electronic signatures can be found under the menu item ,,Statements".
24	<u>11.70</u> <u>A11:14b</u>	Electronic Signature	Are signatures linked to their re- spective electronic records to en- sure that they cannot be cut, cop- ied, or otherwise transferred by ordinary means for the purpose of falsification?	X		The system does not provide a function to access or alter electronic signatures. All data are stored in a proprietary format and encrypted.

Electronic Signatures (General)

lef.'	Торіс	Question	Yes	No	Comments
<u>00 (a)</u>			X		Within SoftMax Pro GxP electronic signatures are linked to user IDs and the system ensures that user IDs are unique.
		(a) Electronic Signature		(a) Electronic Signature Are electronic signatures unique X	(a) Electronic Signature Are electronic signatures unique X

DocID:4044100-01,V1

ERES-Assessment: SOFTMAX PRO GxP 7.1



0/	Ref.⁵	Торіс	Question	<u>Yes</u> -	No	I Comments
26	<u>11.100 (a)</u>	Electronic Signature	Does the system prohibit that electronic signatures are ever re- used by, or reassigned to, any- one else?	X/0		Within SoftMax Pro GxP electronic signatures are linked to user IDs and the system ensures that user IDs are unique. It is up to the process owner's organization to implement a procedure for identification and user management. Users can't be deleted, only inactivated.
27	<u>11.100 (a)</u>	Electronic Signature, Representative	Does the system allow the trans- fer of the authorization for elec- tronic signatures (to representa- tives)?	X/0		Substitution rules within the system can be configured via the concept of system roles. This ensures that it is always clear who signed a record electronically. It is up to the process owner to ensure substitution rules for signing records electronically.
28	<u>11.100 (b)</u>	Electronic Signature	Is the identity of an individual verified before an electronic signature is assigned?	0		The system offers the function for electronic signatures only to individuals who are logged in by using user ID and password. It is up to the process owner's organization to implement a procedure for identification and user management.

5 Electronic Signatures (Non-Biometric)

I.0	Ref.⁵	Торіс	Question	Yes	No	Comments
29	<u>11.200 (a)</u> (¹)(i)	Electronic Signature	Is the signature made up of at least two components, such as an identification code and pass- word, or an ID card and pass- word?	X		To get system access a unique combination of user ID and password is required.



0/	Ref.⁵	Tc ic	Question	<u>Yes</u>	No	Comments
30	<u>11.200 (a)</u> (1)(ii)	Electronic Signature	When several signings are made during a continuous session, is the password executed at each signing? (Note: both components must be executed at the first signing of a session).	X		Under all circumstances an electronic signature always re- quires the entry of user ID and password from a user who is already logged in to the system.
31	<u>11.200 (a)</u> (1)(iii)	Electronic Signature, Representative	If signings are not done in a con- tinuous session, are both compo- nents of the electronic signature executed with each signing?	X		Under all circumstances an electronic signature always re- quires the entry of user ID and password from a user who is already logged in to the system.
32	<u>11.200 (a)</u> (2)	Electronic Signature	Are non-biometric signatures used by their genuine owners only?	0		It is up to the system owner's organization to implement a pro- cedure for user identification and management.
33	<u>11.200 (a)</u> (3)	Electronic Signature	Would an attempt to falsify an electronic signature require the collaboration of at least two indi- viduals?	X/0		No user/administrator has access to the electronic signature data by ordinary means. Only system administrators are able to reset a password and then misuse it for an electronic signature. But such fraud would be documented in the audit trail and could be traced back to that person. The system does not allow users to modify any meta data. It is up to the process owner's organization to implement ap- propriate training for system users and system administrators.





6 Electronic Signatures (Biometric)

1°10	Ref.⁵	Торіс	Question	<u>Yes</u> . No	Comments
34	<u>11.200 (b)</u>	Biometric Electronic Signature	Has it been shown that biometric electronic signatures can be used by their genuine owner only?	N/A	SoftMax Pro GxP does not offer the functionality of biometric signatures.

7 Controls for Identification Codes and Passwords

	Ref.⁵	Торіс	Question	Yes .	No	Comments
35	<u>11.300 (a)</u>	Identification Code, Uniqueness, Pass- word, Identification, Login, Access Pro- tection	Are controls in place to maintain the uniqueness of each com- bined identification code and password, such that no individual can have the same combination of identification code and pass- word?	x		The system controls the uniqueness of user IDs via GUIDs ₁₀ . It is up to the process owner's organization to control the rela- tionship of user ID to a person (see 28).
36	<u>11.300 (b)</u>	Identification Code, Password, Validity, Identification, Login, Access Protection	Are procedures in place to en- sure that the validity of an identi- fication code is periodically checked?	X/0		According to system configuration passwords have to be al- tered after a certain period of time. The system can be connected to the company Active Directory system. It is up to the system owner to implement a procedure for user and password management.

¹⁰ A universally unique identifier (UUID) is a 128-bit number used to identify information in computer systems [Wikipedia]



1101	Ref.⁵	Торіс	Question	<u>Yes</u>	No	Comments
37	<u>11.300 (b)</u>	Password, Validity, Password Expiry, Identification, Login,	Do passwords periodically expire and need to be revised?	X/0		According to system configuration passwords alter and have to be changed after a certain period of time.
		Access Protection				The system can be connected to the company Active Directory system.
						It is up to the system owner to implement a procedure for password management.
38	<u>11.300 (b)</u>	Identification Code, Password, Validity, Disable User Access,	Is there a procedure for recalling identification codes and pass-	X/0		User IDs can be deactivated within the system by the system administrator, but cannot never be deleted.
		Identification, Login, Access Protection	words if a person leaves or is transferred?			It is up to the system owner to implement a procedure for user and password management.
39	<u>11.300 (c)</u>	Identification Code, Password, Validity,	Is there a procedure for electroni-	X/0		User IDs can be deactivated by the system administrator.
		Disable User Access, Identification, Login, Access Protection, Loss of ID card	cally disabling an identification code or password if it is poten- tially compromised or lost?			It is up to the system owner to implement a procedure for user and password management.
40	<u>11.300 (c)</u>	Loss of/ compro- mised ID card, Elec- tronically Disabling ID card	Is there a procedure for electroni- cally disabling a device if it is lost, stolen, or potentially com- promised?	N	/A	There are no hardware token or devices for user identification implemented.
41	<u>11.300 (c)</u>	ID card, Replace- ment	Are there controls over the tem- porary or permanent replacement of a device?	N	/A	There are no hardware token or devices for user identification implemented.

ERES-Assessment: SOFTMAX PRO GxP 7.1



0/	Ref.⁵	Торіс	Question	<u>Yes</u>	No	Comments
42	<u>11.300 (d)</u>	Unauthorized Use, Login, Access Pro- tection	Are there security safeguards in place to prevent and/or detect at-	X/0		According to system configuration a user account is locked after a certain number of unsuccessful login attempts.
		tempts of unauthorized use of user identification or password?			In case a user account has been locked an entry to the admin dashboard and the audit trail is made.	
						It is up to the system owner to implement a procedure for user account management and reopening a locked account.
43	<u>11.300 (d)</u>	Unauthorized Use, Login, Access Pro- tection, Inform man-	Is there a procedure in place to inform the responsible manage-	X/0		In case a user account has been locked an entry to the admin dashboard and the audit trail is made.
	agement ment about unau	ment about unauthorized use of user identification or password?			It is up to the system owner to implement a procedure for sys- tern security including reporting responsibilities.	
44	<u>11.300 (e)</u>	Testing of ID cards, ID card, Access Pro- tection	Is there initial and periodic testing of tokens and cards?	N	/A	There are no hardware token or devices for user identification implemented.
45	<u>11.300 (e)</u>	Modification of ID cards, ID card, Unau- thorized Use, Access Protection	Does the token or card testing verifies that there have been no unauthorized alterations.	N	/Α	There are no hardware token or devices for user identification implemented.

Legend

- X Applies to system
- 0 Implementation is in the operator's responsibility
- N/A Not applicable to the system

This 21 CFR Part 11 assessment is based on answers received during the workshop at Molecular Devices performed on April 11, 2019. Subject of this audit was the system SoftMax Pro GxP version 7.1 with all compliance features enabled.