# **SAFETY DATA SHEET**



10x PHOSPHATE BUFFERED SALINE

# SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier	
Product name	: 10x PHOSPHATE BUFFERED SALINE
Product type	: Liquid.
Other means of identification	: R7009 STICKS
Product part number	: R5020
Kit name	: BSA COATED MEMBRANE
Kit part number	: R5014
1.2 Relevant identified use	es of the substance or mixture and uses advised against
Product use	· For R&D use only

i louuci use	
Area of application	: Professional applications.
Uses advised against	
None identified.	

#### 1.3 Details of the supplier of the safety data sheet

Molecular Devices (Austria) GmbH Urstein Süd 17 5412 Puch / Hallein AUSTRIA e-mail address of person : msdsinquiry@moldev.com responsible for this SDS

#### 1.4 Emergency telephone number

#### National advisory body/Poison Center

Telephone number

: CHEMTREC (24 hours): 1-800-424-9300 (USA/Canada), +1 703-527-3887 (Outside USA/Canada)

10x PHOSPHATE BUFFERED SALINE

# **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

Product definition : Mixture

#### Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Eye Irrit. 2, H319

The product is classified as hazardous according to Regulation (EC) 1272/2008 as amended.

Ingredients of unknown toxicity

: 8.8 percent of the mixture consists of component(s) of unknown acute dermal toxicity 15.8 percent of the mixture consists of component(s) of unknown acute inhalation toxicity

: Contains 2.1% of components with unknown hazards to the aquatic environment

# Ingredients of unknown ecotoxicity

See Section 16 for the full text of the H statements declared above.

See Section 11 for more detailed information on health effects and symptoms.

#### 2.2 Label elements

Hazard pictograms



Signal word	: Warning	
-	-	
Hazard statements	: H319 - Causes serious eye irritation.	
Precautionary statements		
Prevention	: ₱280 - Wear eye or face protection.	
Response	<ul> <li>F305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</li> <li>P337 + P313 - If eye irritation persists: Get medical advice or attention.</li> </ul>	
Storage	: Not applicable.	
Disposal	: Not applicable.	
Supplemental label elements	: Not applicable.	
Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles	: Not applicable.	
Special packaging requirements		
Containers to be fitted with child-resistant fastenings	: Not applicable.	
Tactile warning of danger	: Not applicable.	

# **SECTION 2: Hazards identification**

#### 2.3 Other hazards

Product meets the criteria for PBT or vPvB according to Regulation (EC) No. 1907/2006, Annex XIII	Phis mixture does not contain any substances that are assessed to be a PBT or a vPvB.
Other hazards which do	: None known.

not result in classification

# **SECTION 3: Composition/information on ingredients**

Product/ingredient name	Identifiers	%	Regulation (EC) No. 1272/2008 [CLP]	Туре
sodium chloride	EC: 231-598-3 CAS: 7647-14-5	≤10	Eye Irrit. 2, H319	[1]
disodium hydrogenorthophosphate	EC: 231-448-7 CAS: 7558-79-4	≤5	Eye Irrit. 2, H319	[1]
			See Section 16 for the full text of the H statements declared above.	

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs, vPvBs or Substances of equivalent concern, or have been assigned a workplace exposure limit and hence require reporting in this section.

<u>Type</u>

[1] Substance classified with a health or environmental hazard

[2] Substance with a workplace exposure limit

[3] Substance meets the criteria for PBT according to Regulation (EC) No. 1907/2006, Annex XIII

[4] Substance meets the criteria for vPvB according to Regulation (EC) No. 1907/2006, Annex XIII

[5] Substance of equivalent concern

[6] Additional disclosure due to company policy

Occupational exposure limits, if available, are listed in Section 8.

# SECTION 4: First aid measures

#### 4.1 Description of first aid measures

Eye contact	: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention.
Inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

## **SECTION 4: First aid measures**

Skin	contact	

: Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse.

Ingestion : Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Protection of first-aiders : No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

### 4.2 Most important symptoms and effects, both acute and delayed

#### Over-exposure signs/symptoms

Eye contact	: Adverse symptoms may include the following: pain or irritation watering redness
Inhalation	: No specific data.
Skin contact	: No specific data.
Ingestion	: No specific data.

### 4.3 Indication of any immediate medical attention and special treatment needed

Notes to physician	<ul> <li>Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.</li> </ul>
Specific treatments	: No specific treatment.

# **SECTION 5: Firefighting measures**

5.1 Extinguishing media	
Suitable extinguishing media	: Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	: Do not use water jet.
5.2 Special hazards arising f	from the substance or mixture
Hazards from the substance or mixture	: In a fire or if heated, a pressure increase will occur and the container may burst.

# **SECTION 5: Firefighting measures**

Hazardous thermal decomposition products	: Decomposition products may include the following materials: phosphorus oxides halogenated compounds metal oxide/oxides
5.3 Advice for firefighters	
Special protective actions for fire-fighters	: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.

# **SECTION 6: Accidental release measures**

6.1 Personal precautions, pro	oteo	ctive equipment and emergency procedures
For non-emergency personnel	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
For emergency responders	:	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
6.2 Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
6.3 Methods and materials for	r co	ontainment and cleaning up
Small spill	:	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Large spill	:	Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations. Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product.
6.4 Reference to other sections	:	See Section 1 for emergency contact information. See Section 8 for information on appropriate personal protective equipment. See Section 13 for additional waste treatment information.
Date of issue/Date of revision		: 05/05/2021 Date of previous issue : 21/02/2018 Version : 3 5/15

10x PHOSPHATE BUFFERED SALINE

## **SECTION 6: Accidental release measures**

kept lightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

Advice on general occupational hygiene : Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

#### 7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

7.3 Specific end use(s)	
Recommendations	: Not available
Industrial sector specific	: Not available
solutions	

## **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

#### **Occupational exposure limits**

No exposure limit value known.

# Recommended monitoring procedures

If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to monitoring standards, such as the following: European Standard EN 689 (Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy) European Standard EN 14042 (Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents) European Standard EN 482 (Workplace atmospheres - General requirements for the performance of procedures for the measurement of chemical agents) Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

#### **DNELs/DMELs**

10x PHOSPHATE BUFFERED SALINE

# **SECTION 8: Exposure controls/personal protection**

Product/ingredient name	Туре	Exposure	Value	Population	Effects
sodium chloride	DNEL	Short term Oral	126.65 mg/ kg bw/day	General population	Systemic
	DNEL	Long term Oral	126.65 mg/ kg bw/day	General	Systemic
	DNEL	Short term Dermal	126.65 mg/ kg bw/day	General	Systemic
	DNEL	Long term Dermal	126.65 mg/ kg bw/day	General	Systemic
	DNEL	Short term Dermal	295.52 mg/ kg bw/day	Workers	Systemic
	DNEL	Long term Dermal	295.52 mg/ kg bw/day	Workers	Systemic
	DNEL	Short term Inhalation	443.28 mg/	General population	Systemic
	DNEL	Long term Inhalation	443.28 mg/ m <sup>3</sup>	General	Systemic
	DNEL	Short term Inhalation	2068.62 mg/m <sup>3</sup>	Workers	Systemic
	DNEL	Long term Inhalation	2068.62 mg/m <sup>3</sup>	Workers	Systemic
disodium hydrogenorthophosphate	DNEL	Long term Inhalation	3.04 mg/m <sup>3</sup>	General population	Systemic
	DNEL	Long term Inhalation	4.07 mg/m <sup>3</sup>	Workers	Systemic

#### **PNECs**

No PNECs available.

8.2 Exposure controls		
Appropriate engineering controls	:	Good general ventilation should be sufficient to control worker exposure to airborne contaminants.
Individual protection measu	ires	
Hygiene measures	:	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye/face protection	:	Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles.
Skin protection		

# **SECTION 8: Exposure controls/personal protection**

-	
Hand protection	: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.
Body protection	<ul> <li>Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.</li> </ul>
Other skin protection	<ul> <li>Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.</li> </ul>
Respiratory protection	: Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.
Environmental exposure controls	: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

# **SECTION 9: Physical and chemical properties**

## 9.1 Information on basic physical and chemical properties

<u>Appearance</u>		
Physical state	:	Liquid.
Color	:	Not available.
Odor	:	Not available.
Odor threshold	1	Not available.
рН	:	Not available.
Melting point/freezing point	:	Not available.
Initial boiling point and boiling range	:	Not available.
Flash point	1	Not available.
Evaporation rate	1	Not available.
Flammability (solid, gas)	:	Not applicable.
Upper/lower flammability or explosive limits	:	Not available.
Vapor pressure	1	Not available.
Vapor density	1	Not available.
Relative density	:	Not available.
Solubility(ies)	:	Not available.

# **SECTION 9: Physical and chemical properties**

Partition coefficient: n-octanol/ water	: Not available.	
Auto-ignition temperature	: Not available.	
Decomposition temperature	: Not available.	
Viscosity	: Not available.	
Explosive properties	: Not available.	
Oxidizing properties	: Not available.	
0.2 Other information		
9.2 Other information		

Physical/chemical properties	: No additional information.
comments	

# SECTION 10: Stability and reactivity10.1 Reactivity: No specific test data related to reactivity available for this product or its ingredients.10.2 Chemical stability: The product is stable.10.3 Possibility of<br/>hazardous reactions: Under normal conditions of storage and use, hazardous reactions will not occur.<br/>Under normal conditions of storage and use, hazardous polymerization will not occur.

- **10.4 Conditions to avoid** : No specific data.
- **10.5 Incompatible materials** : No specific data.

10.6 Hazardous	÷	Under normal conditions of storage and use, hazardous decomposition products
decomposition products		should not be produced.

# **SECTION 11: Toxicological information**

#### **11.1 Information on toxicological effects**

#### Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
sodium chloride	LD50 Oral	Rat	3000 mg/kg	-
disodium	LD50 Dermal	Rat - Male,	>2000 mg/kg	-
hydrogenorthophosphate		Female		
	LD50 Oral	Rat	17000 mg/kg	-
Conclusion/Summary	Not available.		·	

Acute toxicity estimates

Date of issue/Date of revision

# **SECTION 11: Toxicological information**

	5					
Product/ingredie	ent name	Oral (mg/ kg)	Dermal (mg/kg)	Inhalation (gases) (ppm)	Inhalation (vapors) (mg/l)	Inhalation (dusts and mists) (mg/l)
sodium chloride disodium hydrogenorthophos	ohate	3000 17000	N/A N/A	N/A N/A	N/A N/A	N/A N/A

#### Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observa	ation
sodium chloride	Eyes - Moderate irritant	Rabbit	-	24 hours 100	-	
	Evec Mederate irritent	Rabbit		mg 10 mg		
	Eyes - Moderate irritant Skin - Mild irritant	Rabbit	-	24 hours 500	-	
		T CODDIC		mg		
disodium	Eyes - Mild irritant	Rabbit	-	24 hours 500	-	
hydrogenorthophosphate	Skin - Mild irritant	Rabbit		mg 24 hours 500		
	Skin - Milu Intant	Rabbit	-	mg	-	
Conclusion/Summary	: Not available.					
<u>Sensitization</u>						
Conclusion/Summary	: Not available.					
Mutagenicity						
Conclusion/Summary	: Not available.					
<u>Carcinogenicity</u>						
Conclusion/Summary	: Not available.					
Reproductive toxicity						
Conclusion/Summary	: Not available.					
<u>Teratogenicity</u>						
Conclusion/Summary	: Not available.					
Specific target organ toxicity	<u>y (single exposure)</u>					
Not available.						
Specific target organ toxicity	<u>v (repeated exposure)</u>					
Not available.						
Aspiration hazard						
Not available.						
Not available.						
Information on the likely	: Routes of entry anticipated	· Oral Dormal In	halation			
routes of exposure		. Oral, Dermai, in				
Potential acute health effects						
Eye contact	: Causes serious eye irritatio	on.				
Inhalation	: No known significant effect	s or critical hazar	ds.			
Date of issue/Date of revision	: 05/05/2021 Date of previou		02/2018	Versi	ion :3	10/15
Bate of 13500 Bate of 164151011		.21/	52/2010	Versi		10/10

Skin contact	: No known significant effects or critical hazards.
Ingestion	: No known significant effects or critical hazards.
Symptoms related to the phy	sical, chemical and toxicological characteristics
Eye contact	: Adverse symptoms may include the following: pain or irritation watering redness
Inhalation	: No specific data.
Skin contact	: No specific data.
Ingestion	: No specific data.
Delayed and immediate effect	ts and also chronic effects from short and long term exposure
<u>Short term exposure</u>	
Potential immediate effects	: Not available.
Potential delayed effects	: Not available.
Long term exposure	
Potential immediate effects	: Not available.
Potential delayed effects	: Not available.
Potential chronic health eff	ects
General	: No known significant effects or critical hazards.
Carcinogenicity	: No known significant effects or critical hazards.
Mutagenicity	: No known significant effects or critical hazards.
Reproductive toxicity	: No known significant effects or critical hazards.
Other information	: Not available.

# **SECTION 12: Ecological information**

## 12.1 Toxicity

Product/ingredient name	Result	Species	Exposure
sodium chloride	Acute EC50 2430000 µg/l Fresh water	Algae - Navicula seminulum	96 hours
	Acute EC50 519.6 mg/l Fresh water	Crustaceans - Cypris subglobosa	48 hours
	Acute EC50 402.6 mg/l Fresh water	Daphnia - Daphnia magna	48 hours
	Acute IC50 6.87 g/L Fresh water	Aquatic plants - Lemna minor	96 hours
	Acute LC50 1000000 µg/l Fresh water	Fish - Morone saxatilis - Larvae	96 hours
	Chronic LC10 781 mg/l Fresh water	Crustaceans - Hyalella azteca - Juvenile (Fledgling, Hatchling, Weanling)	3 weeks
	Chronic NOEC 6 g/L Fresh water	Aquatic plants - Lemna minor	96 hours
	Chronic NOEC 0.314 g/L Fresh water	Daphnia - Daphnia pulex	21 days
ate of issue/Date of revision	: 05/05/2021 Date of previous issue	: 21/02/2018 Version	:3 11/1

10x PHOSPHATE BUFFERED SALINE

SECTION 12: Ecological information				
	Chronic NOEC 100 mg/l Fresh water	Fish - Gambusia holbrooki - Adult	8 weeks	
disodium hydrogenorthophosphate	Acute EC50 >100 mg/l Fresh water	Algae	72 hours	
	Acute LC50 3580000 µg/l Fresh water	Daphnia - Daphnia magna	48 hours	
	Acute LC50 >100 mg/l Fresh water	Fish	96 hours	
	Acute NOEC >100 mg/l Fresh water	Algae	72 hours	
	Acute NOEC 100 mg/l Fresh water	Fish	96 hours	
Conclusion/Summary	: Not available.		•	

12.2 Persistence and degradabilityConclusion/Summary: Not available.

## 12.3 Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
dísodium	-5.8	-	low
hydrogenorthophosphate			

12.4 Mobility in soil	
Soil/water partition coefficient (Koc)	: Not available.
Mobility	: Not available.

#### 12.5 Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

**12.6 Other adverse effects** : No known significant effects or critical hazards.

# **SECTION 13: Disposal considerations**

#### **13.1 Waste treatment methods**

Product		
Methods of disposal	: The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.	
Hazardous waste	: The classification of the product may meet the criteria for a hazardous waste.	
Packaging		
Methods of disposal	<ul> <li>The generation of waste should be avoided or minimized wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.</li> </ul>	
Date of issue/Date of revision	: 05/05/2021 Date of previous issue : 21/02/2018 Version : 3 12/15	

10x PHOSPHATE BUFFERED SALINE

# **SECTION 13: Disposal considerations**

```
Special precautions
```

: This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

# **SECTION 14: Transport information**

	ADR/RID	ADN	IMDG	IATA
14.1 UN number	Not regulated.	Not regulated.	Not regulated.	Not regulated.
14.2 UN proper shipping name	-	-	-	-
14.3 Transport hazard class(es)	-	-	-	-
14.4 Packing group	-	-	-	-
14.5 Environmental hazards	No.	No.	No.	No.

**14.6 Special precautions for user**: **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

14.7 Transport in bulk: Not available.according to IMOinstruments

## **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture <u>EU Regulation (EC) No. 1907/2006 (REACH)</u>

Annex XIV - List of substances subject to authorization

Annex XIV

None of the components are listed.

Substances of very high concern

None of the components are listed.

Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles

Substances requiring : Not applicable. labelling

10x PHOSPHATE BUFFERED SALINE

SECTION 15: Regulatory information		
Other EU regulations		
Europe inventory : All components are listed or exempted.		
Ozone depleting substances (1005/2009/EU)		
Not listed.		
Prior Informed Consent (PIC) (649/2012/EU)		
Not listed.		
Seveso Directive		
This product is not controlled under the Seveso Directive.		
National regulations		
Storage class (TRGS 510) : 12		
Hazardous incident ordinance		
This product is not controlled under the Germany Hazardous Incident Ordinance.		
Hazard class for water : 1		
AOX : The product does not contain organically bound halogens which could lead to an AOX value in waste water.		
International regulations		
Chemical Weapon Convention List Schedules I, II & III Chemicals		
Not listed.		
Montreal Protocol		
Not listed.		
Stockholm Convention on Persistent Organic Pollutants		
Not listed.		
Rotterdam Convention on Prior Informed Consent (PIC)		
Not listed.		
UNECE Aarhus Protocol on POPs and Heavy Metals		
Not listed.		
<b>15.2 Chemical Safety</b> : This product contains substances for which Chemical Safety Assessments are still required.		

- **15.3 Registration status**
- : Mixture. Information concerning the substance : Contact local supplier or distributor.

10x PHOSPHATE BUFFERED SALINE

# **SECTION 16: Other information**

Indicates information	that has changed fr	om previously issu	led version.

Abbreviations and acronyms	ATE = Acute Toxicity Estimate CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008] DMEL = Derived Minimal Effect Level DNEL = Derived No Effect Level EUH statement = CLP-specific Hazard statement N/A = Not available PBT = Persistent, Bioaccumulative and Toxic PNEC = Predicted No Effect Concentration RRN = REACH Registration Number vPvB = Very Persistent and Very Bioaccumulative
Key literature references and sources for data	Regulation (EC) No. 1272/2008 [CLP]; European Agreement concerning the International Carriage of Dangerous Goods by Road (ADR), concluded in Geneva on 30 September 1957 plus amendments (Uniform text: Journal of Laws 27/2009 pos. 162 plus amendments); European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (ADN); Occupational exposure limits; International regulations

#### Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Classification	Justification
₽ye Irrit. 2, H319	Calculation method

#### Full text of abbreviated H statements

<b>⊮</b> 319	Caus	es serious eye irritation.
Full text of classifications	[CLP/GHS]	
₽ye Irrit. 2	SERI	OUS EYE DAMAGE/ EYE IRRITATION - Category 2
Training advice	: Ensure operatives are trained to minimise exposures. Training staff on good practice.	
Date of issue/ Date of revision	: 05/05/2021	
Date of previous issue	: 21/02/2018	
Version	: 3	
<b>N A A</b>		

#### Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.