SAFETY DATA SHEET



IMAP PROGRESSIVE BINDING BUFFER B 8000TP

Section 1. Identification

Product identifier	: IMAP PROGRESSIVE BINDING BUFFER B 8000TP
Other means of	: Not available.
identification	
Product type	: Liquid.
Product part number	: R7283/R7286/R7280
Kit name	 IMAP IPP PROGRESSIVE BUFFER EXPLORER KIT IMAP FP PROGRESSIVE SCREENING EXPRESS KIT IMAP TR-FRET IPP EXPLORER IMAP TR-FRET SCREENING EXPRESS IMAP IPP BULK PROGRESSIVE W/TWEEN IMAP TR-FRET IPP BULK WITH BSA IMAP TR-FRET IPP BULK W/TWEEN IMAP PROGRESSIVE BUFFER EXPLORER KIT IMAP TR-FRET EVALUATION KIT SUBSTRATE FINDER FOR SER/THR KINASES KIT 1 SUBSTRATE FINDER FOR SER/THR KINASES KIT SUBSTRATE FINDER FOR SER/THR KINASES 2-KIT IMAP TR-FRET PDE EVALUATION KIT
Kit part number	: R8124 / R8127 / R8157 / R8160 / R8139 / R8158 / R8159 / R8155 / R8161 / R8166 / R8131 / R8134 / R8140 / R8175 / R8176 the substance or mixture and uses advised against
Product use	: For R&D use only.
Area of application	 Professional applications.
Area of application	
Manufacturer	: MOLECULAR DEVICES, LLC 3860 N First Street San Jose, CA 95134 USA
e-mail address of person responsible for this SDS	: msdsinquiry@moldev.com
Emergency telephone number (with hours of operation)	: CHEMTREC (24 hours): 1-800-424-9300 (USA/Canada), +1 703-527-3887 (Outside USA/Canada)

Classification of the

substance or mixture

: 317

SKIN SENSITIZATION - Category 1A

GHS label elements

Date of issue/Date of revision

Section 2. Hazard identification

Hazard pictograms	
Signal word	: Warning
Hazard statements	: 🗚 317 - May cause an allergic skin reaction.
Precautionary statement	<u>'S</u>
Prevention	 ₽280 - Wear protective gloves. P261 - Avoid breathing vapor.
Response	 ₱362 + P364 - Take off contaminated clothing and wash it before reuse. P302 + P352 - IF ON SKIN: Wash with plenty of water. P333 + P313 - If skin irritation or rash occurs: Get medical advice or attention.
Storage	: Not applicable.
Disposal	 P501 - Dispose of contents and container in accordance with all local, regional, national and international regulations.

Section 3. Composition/information on ingredients

Substance/mixture	: Mixture
Other means of	: Not available.
identification	

Ingredient name	Other names	% (w/w)	CAS number
acetic acid	-	5 - 10	64-19-7
3(2H)-Isothiazolone, 2-methyl-		<0.1	2682-20-4

Ranges if listed above for hazardous ingredient(s) are prescribed ranges. The actual concentration(s) or actual concentration range(s) are being withheld as a trade secret.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First-aid measures

Description of necessary first aid measures

Eye contact	: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention if irritation occurs.
Inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
Skin contact	: Wash with plenty of soap and water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Get medical attention. In the event of any complaints or symptoms, avoid further exposure. Wash clothing before reuse. Clean shoes thoroughly before reuse.
Date of issue/Date of revision	: 11/12/2020 Date of previous issue : 05/03/2018 Version : 2 2/12

Section 4. First-aid measures

Ingestion	: Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Most important symptoms/effects, acute and delayed

Potential acute health	
Eye contact	: No known significant effects or critical hazards.
Inhalation	: No known significant effects or critical hazards.
Skin contact	: May cause an allergic skin reaction.
Ingestion	: No known significant effects or critical hazards.
Over-exposure signs	/symptoms
Eye contact	: No specific data.
Inhalation	: No specific data.
Skin contact	: Adverse symptoms may include the following: irritation redness
Ingestion	: No specific data.

Notes to physician	: Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Specific treatments	: No specific treatment.
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

See toxicological information (Section 11)

Section 5. Fire-fighting measures

Extinguishing media	
Suitable extinguishing media	: Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	: Do not use water jet.
Specific hazards arising from the chemical	: In a fire or if heated, a pressure increase will occur and the container may burst.

Date of issue/Date of revision	: 11/12/2020	Date of previous issue	:05/03/2018	Version : 2
--------------------------------	--------------	------------------------	-------------	-------------

equipment for fire-fighters

Section 5. Fire-fighting measures

_	-
Hazardous thermal decomposition products	: Decomposition products may include the following materials: carbon dioxide carbon monoxide metal oxide/oxides
Special protective actions for fire-fighters	: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective	: Fire-fighters should wear appropriate protective equipment and self-contained

breathing apparatus (SCBA) with a full face-piece operated in positive pressure

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

mode.

For non-emergency personnel	Ev en mi	o action shall be taken involving any personal risk or without suitable training. vacuate surrounding areas. Keep unnecessary and unprotected personnel from ntering. Do not touch or walk through spilled material. Avoid breathing vapor or ist. Provide adequate ventilation. Wear appropriate respirator when ventilation is adequate. Put on appropriate personal protective equipment.
For emergency responders	inf	specialized clothing is required to deal with the spillage, take note of any formation in Section 8 on suitable and unsuitable materials. See also the formation in "For non-emergency personnel".
Environmental precautions	dra	void dispersal of spilled material and runoff and contact with soil, waterways, rains and sewers. Inform the relevant authorities if the product has caused nvironmental pollution (sewers, waterways, soil or air).
Methods and materials for co	ntain	iment and cleaning up
Small spill	up ma	top leak if without risk. Move containers from spill area. Dilute with water and mop o if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry aterial and place in an appropriate waste disposal container. Dispose of via a censed waste disposal contractor.
Large spill	up W co ve loc co sp	top leak if without risk. Move containers from spill area. Approach release from owind. Prevent entry into sewers, water courses, basements or confined areas. Vash spillages into an effluent treatment plant or proceed as follows. Contain and ollect spillage with non-combustible, absorbent material e.g. sand, earth, ermiculite or diatomaceous earth and place in container for disposal according to cal regulations (see Section 13). Dispose of via a licensed waste disposal ontractor. Contaminated absorbent material may pose the same hazard as the billed product. Note: see Section 1 for emergency contact information and Section 3 for waste disposal.

Section 7. Handling and storage

Precautions for safe handling

hist whi Avc alte Em	on appropriate personal protective equipment (see Section 8). Persons with a cory of skin sensitization problems should not be employed in any process in ch this product is used. Do not get in eyes or on skin or clothing. Do not ingest. Did breathing vapor or mist. Keep in the original container or an approved ernative made from a compatible material, kept tightly closed when not in use. pty containers retain product residue and can be hazardous. Do not reuse itainer.
----------------------------------	--

Date of issue/Date of revision : 11/12/20	20 Date of previous issue	:05/03/2018	Version : 2	4/12
---	---------------------------	-------------	-------------	------

Section 7. Handling and storage

	-
Advice on general occupational hygiene	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

Ingredient name	Exposure limits
₽cetic acid	 CA Alberta Provincial (Canada, 6/2018). 8 hrs OEL: 10 ppm 8 hours. 8 hrs OEL: 25 mg/m³ 8 hours. 15 min OEL: 37 mg/m³ 15 minutes. 15 min OEL: 15 ppm 15 minutes. CA British Columbia Provincial (Canada, 1/2020). TWA: 10 ppm 8 hours. STEL: 15 ppm 15 minutes. CA Ontario Provincial (Canada, 6/2019). TWA: 10 ppm 8 hours. STEL: 15 ppm 15 minutes. CA Quebec Provincial (Canada, 7/2019). TWAEV: 10 ppm 8 hours. STEV: 15 ppm 15 minutes. STEV: 15 ppm 15 minutes. STEV: 37 mg/m³ 15 minutes. CA Saskatchewan Provincial (Canada, 7/2013). STEL: 15 ppm 15 minutes. TWA: 10 ppm 8 hours.

Appropriate engineering controls	: Good general ventilation should be sufficient to control worker exposure to airborne contaminants.
Environmental exposure controls	: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Individual protection measures

Section 8. Exposure controls/personal protection

-	
Hygiene measures	: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye/face protection	: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.
Skin protection	
Hand protection	: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.
Body protection	 Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	 Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	: Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

Section 9. Physical and chemical properties

<u>Appearance</u>	
Physical state	: Liquid.
Color	: Not available.
Odor	: Not available.
Odor threshold	: Not available.
рН	: 5.4 to 5.6
Melting point	: Not available.
Boiling point	: Not available.
Flash point	: Not available.
Evaporation rate	: Not available.
Flammability (solid, gas)	: Not applicable.
Lower and upper explosive (flammable) limits	: Not available.
Vapor pressure	: Not available.
Vapor density	: Not available.
Relative density	: Not available.
Solubility	: Soluble in the following materials: cold water and hot water.

Date of issue/Date of revision	: 11/12/2020	Date of previous issue	: 05/03/2018	Version	:2	6/12

Section 9. Physical and chemical properties

Partition coefficient: n- octanol/water	:	Not available.
Auto-ignition temperature	:	Not available.
Decomposition temperature	:	Not available.
Viscosity	:	Not available.
Flow time (ISO 2431)	:	Not available.

ity and reactivity
: No specific test data related to reactivity available for this product or its ingredients.
: The product is stable.
: Under normal conditions of storage and use, hazardous reactions will not occur. Under normal conditions of storage and use, hazardous polymerization will not occur.
: No specific data.
: Reactive or incompatible with the following materials: oxidizing materials.
: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological information

Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
acetic acid	LC50 Inhalation Vapor LD50 Dermal	Rat Rabbit	11000 mg/m ³ 1060 mg/kg	4 hours -
3(2H)-Isothiazolone, 2-methyl-	LD50 Oral LC50 Inhalation Dusts and mists	Rat Rat - Male, Female	3310 mg/kg 0.11 mg/l	- 4 hours
	LD50 Dermal	Rat - Male, Female	242 mg/kg	-
	LD50 Oral	Rat - Male, Female	285.5 mg/kg	-

Conclusion/Summary : Not available.

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
acetic acid	Eyes - Mild irritant	Rabbit	-	0.5 minutes 5 mg	-
	Skin - Mild irritant	Rabbit	-	24 hours 50 mg	-
	Skin - Severe irritant	Rabbit	-	525 mg	-
Conclusion/Summary					

Date of previous issue

:05/03/2018

Conclusion/Summary

Skin	: Not available.
Eyes	: Not available.

: 11/12/2020

Date of issue/Date of revision

Section 11. Toxicological information

Respiratory	: Not available.	
Sensitization		
Conclusion/Summary		
Skin	: Not available.	
Respiratory	: Not available.	
<u>Mutagenicity</u>		
Conclusion/Summary	: Not available.	
Carcinogenicity		
Conclusion/Summary	: Not available.	
Reproductive toxicity		
Conclusion/Summary	: Not available.	
Teratogenicity		
Conclusion/Summary	: Not available.	
Specific target organ toxicit	<u>/ (single exposure)</u>	
Not available.		
Specific target organ toxicit	<u>/ (repeated exposure)</u>	
Not available.		
Aspiration hazard		
Not available.		
Not available.		
to former the second second second		
Information on the likely routes of exposure	: Routes of entry anticipated: Oral, Dermal, Inhalation.	
Potential acute health effects		
Eye contact	: No known significant effects or critical hazards.	
Inhalation	: No known significant effects or critical hazards.	
Skin contact	: May cause an allergic skin reaction.	
Ingestion	: No known significant effects or critical hazards.	
ingeotion		
Symptoms related to the phy	sical, chemical and toxicological characteristics	
Eye contact	: No specific data.	
Inhalation	: No specific data.	
Skin contact	. Adverse symptoms may include the following:	
	irritation	
	redness	
Ingestion	: No specific data.	
Dolovod and immediate affect	a and also abrania offecto from about and long terms our a sure	
	s and also chronic effects from short and long term exposure	
Short term exposure	. Not available	
Potential immediate effects	: Not available.	
Potential delayed effects	: Not available.	
Long term exposure		
Potential immediate	: Not available.	
effects		

: 11/12/2020

Date of previous issue

:05/03/2018

8/12

Version :2

Date of issue/Date of revision

Section 11. Toxicological information

Potential delayed effects: Not available.Potential chronic health effectsGeneral: Once sensitized, a severe allergic reaction may occur when subsequently exposed
to very low levels.Carcinogenicity: No known significant effects or critical hazards.Mutagenicity: No known significant effects or critical hazards.Reproductive toxicity: No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates

Product/ingredient name	Oral (mg/ kg)	Dermal (mg/kg)	Inhalation (gases) (ppm)	Inhalation (vapors) (mg/l)	Inhalation (dusts and mists) (mg/l)
MAP PROGRESSIVE BINDING BUFFER B	41375	13250	N/A	137.5	N/A
acetic acid 3(2H)-Isothiazolone, 2-methyl-	3310 285.5	1060 242	N/A N/A	11 N/A	N/A 0.11

Section 12. Ecological information

Toxicity

Product/ingredient name	Result	Species	Exposure
acetic acid	Acute EC50 73400 µg/l Fresh water	Algae - Navicula seminulum	96 hours
	Acute EC50 65000 µg/l Fresh water	Daphnia - Daphnia magna - Neonate	48 hours
	Acute LC50 32 mg/l Marine water	Crustaceans - Artemia salina	48 hours
	Acute LC50 75000 µg/l Fresh water	Fish - Lepomis macrochirus	96 hours
3(2H)-Isothiazolone, 2-methyl-	Acute EC50 0.18 ppm Fresh water	Daphnia - Daphnia magna	48 hours
	Acute LC50 0.07 ppm Fresh water	Fish - Oncorhynchus mykiss	96 hours
	Chronic NOEC 0.044 mg/l Fresh water	Daphnia - Daphnia magna	21 days
	Chronic NOEC 2.38 mg/l Fresh water	Fish - Pimephales promelas	98 days

Conclusion/Summary : Not available.

Persistence and degradability

Product/ingredient name	Test	Result	Dose	Inoculum
₿(2H)-Isothiazolone, 2-methyl-	OECD 301D Ready Biodegradability - Closed Bottle Test	0 % - Not readily - 28 days	-	Activated sludge
Canalusian/Oummany		•		•

Conclusion/Summary

: Not available.

Date of issue/Date of revision

:05/03/2018

Section 12. Ecological information

Product/ingredient name	Aquatic half-life	Photolysis	Biodegradability
acetic acid 3(2H)-Isothiazolone, 2-methyl-	-		Readily Not readily

Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
	-0.17	3.16	low
	0.119	-	low

Mobility in soil

Soil/water partition	: Not available.
coefficient (Koc)	

Other adverse effects : No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods	: The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non- recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty
	containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Section 14. Transport information

	TDG Classification	DOT Classification	IMDG	ΙΑΤΑ
UN number	Not regulated.	Not regulated.	Not regulated.	Not regulated.
UN proper shipping name	-	-	-	-
Transport hazard class(es)	-	-	-	-
Packing group	-	-	-	-
Environmental hazards	No.	No.	No.	No.

Section 14. Transport information

Special precautions for user : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transport in bulk according : Not available. to IMO instruments

Section 15. Regulatory information

Canadian lists

- **Canadian NPRI** : None of the components are listed.
- **CEPA Toxic substances** : None of the components are listed.
- **Canada inventory** : All components are listed or exempted.

International regulations

Chemical Weapon Convention List Schedules I, II & III Chemicals Not listed.

Montreal Protocol

Not listed.

Stockholm Convention on Persistent Organic Pollutants

Not listed.

Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

UNECE Aarhus Protocol on POPs and Heavy Metals

Not listed.

Section 16. Other information

<u>History</u>	
Date of issue/Date of revision	: 11/12/2020
Date of previous issue	: 05/03/2018
Version	: 2
Prepared by	: Sphera Solutions
Key to abbreviations	: ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification and Labelling of Chemicals HPR = Hazardous Products Regulations IATA = International Air Transport Association IBC = Internediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) N/A = Not available UN = United Nations
Procedure used to derive the	a classification

Procedure used to derive the classification

Date of issue/Date of revision : 11/12/2020	Date of previous issue	: 05/03/2018	Version : 2	11/12
---	------------------------	--------------	-------------	-------

Section 16. Other information

Classification	Justification
SKIN SENSITIZATION - Category 1A	Calculation method

References

: HPR = Hazardous Products Regulations

✓ Indicates information that has changed from previously issued version.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.